

**APIOTEK**

[www.apiotek.com](http://www.apiotek.com)

# 18in1 Express Card Adapter

P/N : EC-0004



## Function 功能 :



## Features 特色 :

- 相容於Express Card 34/54 規格
- [世界第一]18合1設計-  
支援多種記憶卡，尤其支援SDHC 32GB、M2:  
SD,miniSD, microSD,MMC,RMMC, MMC4.0, RSMC4.0  
MMCplus,MMCmobile,MS,MS PRO,MS Duo,MS PRO Duo,  
TransFlash,M2,SDHC(SD2.0),XD...etc.
- 支援USB2.0(高速480mbps)
- 超輕量15g-攜帶方便，輕鬆帶著走
- 符合RoHS及WEEE
- 不需驅動程式

# 18in1 Express Card Adapter

P/N : EC-0004



支援可達**32GB**大容量**SDHC**與**M2**記憶卡



APIOTEK 18合1 Express Card讀卡機不僅能讀取M2，還能完全支援SDHC大容量記憶卡，最高可支援到**32GB**，為消費者帶來極大的便利。

完全插入電腦中，無突出



APIOTEK 18合1 Express Card讀卡機能完全插入筆記型電腦當中。無突出的貼心設計，不會對電腦造成任何損傷。**15g** 超輕量的重量，攜帶方便，可輕鬆帶著走。

**APIOTEK**

# 18in1 Express Card Adapter

P/N : EC-0004



支援PC與Mac, Windows Vista相容



APIOTEK 18合1 Express Card讀卡機能完全支援Windows XP與Mac OSX，通用型的設計可完全適合這兩種不同的Notebook使用者。



此外，APIOTEK 18合1 Express Card讀卡機更可與最新Windows Vista相容。



採用最新晶片 GL-827

APIOTEK 18合1 Express Card讀卡機採用最新晶片GL-827。完整支援USB2.0(高速480mbps)，具有極穩定的速度及最佳的品質。

APIOTEK Sales Partner Only

# 18in1 Express Card Adapter

P/N : EC-0004



## Specifications 規格 :

Model Name	APIOTEK Extreme Adapter II – 18in1
Description	18in1 Express Card Adapter
Dimension	34.2mmx75mmx5mm(1.35"2.95"x0.02")
Operation Voltage	+3.0V~+3.3V(+/-5% wide range power supply)
Interface	Express Card 34
Chipset	GL-827
Operating Temperature	0°C ~50°C
Operating Humidity	10% ~90%RH
System Requirements	Supports Windows 98,2000,ME,and XP Mac 8.6,9.x,10.1.2,and above
Manufacture	Made in Taiwan